

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE

Reference of the product : SQUAT S1P HI CI SRC

Article code : 6246169

Technical file index : 01

Last update : April 2019

IDENTIFICATION

Reference of the product : SQUAT S1P HI CI SRC
Article Code : 6246169
Minor Variant of model : 6246183 SQUAT MID S1P HI CI SRC
Technical file index : 01
Last update : April 2019

Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE
ZI PARIS NORD II , 33 Rue des Vanesses BP 55288 Villepinte
95958 ROISSY CHARLES DE GAULLE / France
tel : 0033(0) 1 49 90 70 03
fax : 0033(0) 1 49 90 70 04

Factory :

ANNIC SAS
1 Rue des usines
82250 LAGUEPIE
Tel : 0033(0) 5 63 30 24 10
Fax : 0033(0) 5 63 31 40 18

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A : low shoe

Visual description:

General view :



Outsole view :



Reference of the mould : Ultimate 60000

Range of sizes :

35 - 49

Construction and material of outsole :

PU bi-densité

Field of use

Building and Construction - General Industry - Logistic - Maintenance - Transportation – Utilities

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	9200232	On suede 2.2 mm (Syntetic leather)	Gris
	9200233	On suede 2.2 mm perforé (Syntetic leather)	Gris
	9200633	Ozone (Textil)	Noir
TONGUE	9200633	Ozone (Textil)	Noir
VAMP LINING	9200253	Artico / mousse + chrame (Textil)	Rouge
QUARTER LINING	9200253	Artico / mousse + chrame (Textil)	Rouge
INSOCK	9704043	premières HONEYWELL R16158EAO H 604 medium (or 9704042 or 9704043)	Noir
	2017100	Vautec WELL	Noir
OUTSOLE	Ultimate 60000	PU - Bi-densité	Noir / Rouge
INSOLE	9200629	Protector - Z	Beige
TOE CAP	9500756	604G - SAFIT (glass fiber)	Blanche
INSERT	9200629	Protector - Z	Beige
DECORATIVE ELEMENTS		Sangle TISG 12mm (textil)	Rouge
		Œillet plastique 0-8150/00	Rouge

PROTECTION SCOPE

Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

EN IEC 61340-4-3 : 2017 : Electrostatics - Standard test methods for footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)

Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Penetration resistance
- Heat insulation
- Cold insulation

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the authorized representative
- * Logo **CE**
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference SQUAT S1P HI CI SRC
- * Article code 6246169
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



The location of marking is : sur soufflet

Method of marking on the footwear :

sur étiquette piquée sur soufflet

Packaging :

Par paire dans boîte individuelle

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference		
CTC	L190203379_1	CTC	L180917548_1
CTC	L190203375_1	CTC	L180917549_1
CTC	L190305383_1	CTC	L181225122_1
CTC	L190203388_1	CTC	L190203379_1
CTC	L190203384_1	CTC	L190203375_1
CTC	L190305386_1	CTC	L190305383_1
CTC	L190305387_1	CTC	L190202922_1
CTC	L181225149_1		
CTC	L181225146_1	PFI	1902569-01-00-01/03
CTC	L181225141_1	PFI	1902127-01/03-00-01
CTC	L190305892_1	INESCOP	R-17046702
CTC	L181225140_1		

MEANS OF CONTROL

Unité de production certifié BVQI

N° QUAL FR047753-1

La conformité des produits est aussi assurée par des tests en interne:

Test Adhésion tige/semelle de marche & Force d'adhésion semelle de marche/Semelle intercalaire Fréquence journalière

Test Résistance aux chocs et à l'écrasement Fréquence hebdomadaire

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : <https://doc.honeywellsafety.com/>